# Loshall Tag User Manual

Model: Macaron



<b>Loshall Tag</b> User Manual	2-3	
Index		
01	Getting Started	
02	Add Your Loshall Tag	
03	Locate Your Loshall Tag	
04	Notifications	
05	When Your Loshall Tag Is Lo	
06	Resetting Loshall Tag	
07	Extras	
08	The Fine Print	
09	About Apple Find My	
10	Battery	

# 01 Getting Started

#### 01.1 Power On / Off:

Press the Loshall Tag Function Button once to turn it It should beep once to indicate that it is powered on To power off, hold the same button for at least thr seconds. You will hear two beeps to indicate that you be Loshall Tag is powered off.

## 01.2 Check For Updates:

To use the Apple Find My app to locate this ite the latest version of iOS, iPadOS, or macOS recommended. The Find Items app on Apple Wc requires the latest version of watchOS. Loshall Tag
User Manual

Loshall Tag

Tap on your Loshall Tag from the list.

Under "Notifications" enable the "Notify When Lef Behind" toggle.

You will receive a notification when you leave you Loshall Tag behind and it's no longer in range of you device.

#### 04.2Enabling "Notify When Found":

Under "Notifications", enable the "Notify When Found toggle.

When your Loshall Tag is seen by another Find My network device, you will receive a notification of it location.

Note: "Notify When Found" can only be activated wh your Loshall Tag is out of range.

# 05 When Your Loshall Tag Is Lost

## 05.1 Enabling "Lost Mode":

Open Find My app and select the "Items" tab or op the Find Items app on your iphone or Apple Watch.

Tap on your Loshall Tag from the list.

Under "Lost Mode" tap "Enable"

A screen detailing Lost Mode will pop up, tap "Contin Enter your phone number or email address and to "Next".

You may enter a message that will be shared with the person that finds your item.

Tap "Activate" to enable "Lost Mode"

Note: When "Lost Mode" is enabled, "Notify When Fou is automatically enabled.

Note: When" Lost Mode" is enabled, your Loshall Tag locked and cannot be paired to a new device.

Resetting Loshall Tag 06.1 Remove The Loshall Tag From Find My App: Open Find My app and select the "Items" tab. Tap on your Loshall Tag from the list. please ensure "Lost Mode" is disabled. Scroll to the bottom of the screen and tap "Remov Item". A summary will open, tap "Remove" to confirm. 06.2 Factory Reset Your Loshall Tag: After successfully removing the Loshall Tag from Find My app, press the Loshall Tag's function button fou times rapidly and then hold it a fifth time until you hec a ringing chime. The Loshall Tag is now reset and ready to be paired to a new Apple ID.

**Loshall Tag** User Manual User Manual 10

Coshall Tag
User Manual 10

## 07.1 Unwanted tracking:

If any Find My network accessory separated from its owner is seen moving with you over time, you'll be notified in one of two ways:

- 1. If you have an iPhone, iPad, Find My will send a notification your Apple device. This feature is available on iOS or iPadOS 14 or later.
- 2. If you don't have an ios device or a smartphone, a Find A network accessory that isn't with its owner for a period of time will emit a sound when it's moved.

These features were created specifically to discourage people from trying to track you without your knowledge

Loshall Tag	1 1
User Manual	

## 08 The Fine Print

This device complies with part 15 of the FCC Rules. Operation subject to the following two conditions: (1) This device may cause harmful interference, and (2) this device must accept a interference received, including interference that may calculate undesired operation. NOTE: The manufacturer is not responsible for any radio or TV interference caused by unauthorize modifications or changes to this equipment. Such modification or changes not expressly approved by the party responsible for compliance could void the user's authority to operate this device.

The device has been evaluated to meet general RF exposurequirement, The device can be used in portable exposurentiations without restriction. Federal Communication Commission (FCC) Radiation Exposure Statement Power is so low that no Resposure calculation is needed.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radiofrequence energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment do cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the united the sequipment of the particular installation and the equipment of the sequipment of the particular installation.

## 08 The Fine Print

is encouraged to try to correct the interference by one or more of the following measures: Reorient or relocate the receiving antenna. Increase the separation between the equipment and receiver. Connect the equipment into an outlet on a circuit different from thatto which the receiveris connected.

- 1. With not being connected to any other Bluetooth devices, one iPhone is capable of connecting to up to 32 pieces of Loshall Tags. However, the number of connections may vary depending on the version of IOS in the iphone.
- A Loshall Tag can be shared with up to 5 more other iphones after being bound to a connection, provided that the IOS of the bour phone and the shared connection phone must be of the same version.
- Once the lost notice mode is turned on, when the item leaves the original location, the bound mobile phone will receive a lost notice.
- 4. After the lost mode is enabled, if a third party picks up the item, the picker can identify the device in the "Findmy" APP on his ipho and view the relevant lost information.

## 09

# About Apple Find My

The Apple Find My network provides an easy, secure way locate compatible personal items on a map using the Find My on your iPhone, iPad, or Mac. Simply pair your compatible provide with the Apple Find My app to view it right alongside your Ap devices. If your item ever goes missing, you can put it in Lost Mc to display a message and contact information to anyone view its location.

Use of the Works with Apple badge means that a product I been designed to work specifically with the technology identi in the badge and has been certified by the product manufactor meet Apple Find My network product specifications a requirements. Apple is not responsible for the operation of the device or use of this product or its compliance with safety contents regulatory standards.

Apple, Apple Find My, Apple Watch, Find My, iPhone, iPad, iPa Mac, macOS and watchOS are the trademarks of Apple Inc. is a trademark or registered trademark of Cisco in the U.S. at other countries and is used under license.

Loshall Tag User Manual		14
10	Battery	

Loshall Tag contains a coin cell battery. The battery may nee to be replaced during the life of the product. Replace only with the same type (CR2032) and rating of battery, observin the correct polarity.

Keep batteries away from children. Do not ingest battery, if ingested or placed inside body seek medical attention immediately. Ingesting can cause severe chemical burns in just two hours and result in serious injury or death. If the batt compartment does not close securely, stop using the device and keep away from children.

#### 10.1



**WARNING**: Do not ingest battery;

chemical burn hazard

#### Choking hazard

Battery

Loshall Tag, the battery compartment door, the battery, and case may present a choking hazard or cause other injury to small children. Keep these items away from small children.

#### User Manual

# 11 Installation procedure

#### Step 1:

Remove the fixing screws under the bell.

#### Step 2:

Pull the bell apart on both sides and snap it into the handlebars.





to loosen



The installation has been completed and the bell is ready for using.



Adjust the Angle and position of the bell on the handlebar and then tighten the screw.



